



Simply Possible

OFFICIAL REQUEST FOR QUOTATION

Procurement Ref # **HR28/09/23/334**.....

The People's Own Savings Bank (POSB) invites your company to make a firm offer for the supply and delivery of a projector for POSB HQ as per annexure below:

Projector Specifications

Optical PANEL	0.63(1.60 cms) x 3 BrightEra LCD panel Aspect ratio: 4:3
PROJECTION SYSTEM	3 LCD panels, 1 lens projector system.
KEystone CORRECTION RANGE	Max. Vertical: +/- 30 degrees
PROJECTOR LENS	Approx. 1.2 times manual zoom / manual Focus, TR = 1.47~1.77:1
LIGHT OUTPUT	2300 lm (Lamp mode: high) / 1800 lm (Lamp mode: Standard) / 1500 lm (Lamp mode: low)
SCREEN COVERAGE	30(76.2 cms) to 300(762 cms)(measured diagonally)
THROWING DISTANCE (4:3 SCREEN ASPECT RATIO) FROM THE CENTER OF PROJECTION WINDOW TO SCREEN	80(203.2cm) Screen 2.42 to 2.88m, 100(254cm) Screen 3.02 to 3.60m, 120(304.8cm) Screen 3.63 to 4.33m, 150(381cm) Screen 4.55 to 5.42m, 200(508cm) Screen 6.07 to 7.23m
LAMP	UHP lamp, 210W
COLOR LIGHT OUTPUT	
CONTRAST RATIO	2500:1
DISPLAY RESOLUTION	Maximum display (resizing): UXGA 1600x1200 dots* ¹ (Panel display resolution: 1024x768 dots)

COMPUTER INPUT	
DISPLAY RESOLUTION VIDEO INPUT	NTSC, PAL, SECAM, 480/60i, 576/50i, 480/60p, 576/50p, 720/60p, 720/50p, 1080/60i, 1080/50i, 1080/60p, 1080/50p
DISPLAYABLE SCANNING FREQUENCY	fH: 15 KHz to 92 KHz, fV: 48 Hz to 92Hz
COLOUR SYSTEM	NTSC3.58, PAL, SECAM, NTSC4.43, PAL-M, PAL-N
RESOLUTION	Panel display: 2,359,296 (1024x768 x 3) pixels
SPEAKER	1W x 1 (monaural)
MASS	2.5 Kg (5 lb 7 oz)
POWER CONSUMPTION MAX (AC220V TO 240V, AC100V TO 120V)	263W/221W/189W, 275W/228W/195W (lamp mode : high/standard/low)
HEAT DISSIPATION (AC220V TO 240V, AC100V TO 120V)	898 BTU, 938 BTU
POWER CONSUMPTION STANDBY (AC220V TO 240V, AC100V TO 120V)	less than 0.5W (Standby mode: Standard/Low)
STORAGE HUMIDITY	20% to 80% (no condensation)
OPERATING TEMPERATURE	0°C to 35°C
DIMENSION (WXHxD) (WITHOUT PROTRUSION)	315 x 75 x 230.5 mm
OPERATING HUMIDITY	20% to 80% (no condensation)
STORAGE TEMPERATURE	(-10°C to +60°C)
POWER REQUIREMENT	AC 100V to 240V, 1.2A to 2.9A, 50/60 H
INPUT INTERFACE	<p>INPUT B HDMI input connector: HDMI 19-pin, HDCP support, Audio input connector: HDMI audio support</p> <p>INPUT A RGB /Y Pb PR input connector: Mini D-sub-15-pin (female), Audio input connector: Stereo mini jack (shared with VIDEO IN)</p>

	VIDEO IN Video input connector: Pin jack, Audio input connector: Stereo mini jack (Shared with INPUT A)
--	---

YOUR OFFER MUST CLEARLY STATE THE FOLLOWING:

- The applicable currency – to be quoted in USD\$ of which payment will be processed in ZWL using the prevailing Midrate of the willing buyer willing seller mid-rate on the date of payment processing.
- Payment terms should be clearly stated and to be after delivery. POSB shall not consider demands for cash upfront unless an advance payment guarantee has been provided by the supplier.
- Validity period of quotation to be a minimum of 30 days.
- Bidders must state completion time/ delivery period from receipt of official order.
- Bidders must attach material data sheet where applicable.
- Bidders must note that if they put more than one option only their main offer will be evaluated.
- Value added tax must be clearly and separately quoted.

Bidders must also submit the following documents.

1. Bidders must attach CR14 certificate – list of directors.
2. Bidders must attach proof of registration with Procurement Regulatory Authority of Zimbabwe (PRAZ) in the form of a valid PRAZ certificate.
3. Bidders must attach Value Added Tax Certificate
4. Bidders must attach their valid ITF263 Tax clearance certificate.

- **Failure to comply with the terms and conditions set out in this RFQ will lead to automatic disqualification.**

SUBMISSION OF OFFERS/ QUOTATIONS

5. The bank will only be accepting electronic submissions forwarded by email. Bids must be endorsed with the above tender number on the email subject and be sent only to the email address rfq@posb.co.zw.
6. **NB Offers not received by 10:00 hours on the closing date SHALL be treated as late tenders and will not be considered.**

Posted date	28/09/2023
Closing date	02/10/2023
Closing time	1000 hours